



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/715,213	11/18/2003	Heather Allison Schlegel	06975-380001 / Communicat	2242
26171	7590	08/06/2009		
FISH & RICHARDSON P.C. P.O. BOX 1022 MINNEAPOLIS, MN 55440-1022			EXAMINER PILLAI, NAMITHA	
			ART UNIT 2173	PAPER NUMBER
			NOTIFICATION DATE 08/06/2009	DELIVERY MODE ELECTRONIC

**Please find below and/or attached an Office communication concerning this application or proceeding.**

The time period for reply, if any, is set in the attached communication.

Notice of the Office communication was sent electronically on above-indicated "Notification Date" to the following e-mail address(es):

PATDOCTC@fr.com

<b>Office Action Summary</b>	<b>Application No.</b> 10/715,213	<b>Applicant(s)</b> SCHLEGEL ET AL.	
	<b>Examiner</b> NAMITHA PILLAI	<b>Art Unit</b> 2173	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

#### Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

#### Status

- 1) ☒ Responsive to communication(s) filed on 05 May 2009.
- 2a) ☒ This action is **FINAL**.                      2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

#### Disposition of Claims

- 4) ☒ Claim(s) 15-23, 25-39, 41, 42, 44-46, 48 and 50-53 is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 15-23, 25-39, 41, 42, 44-46, 48, 50-53 is/are rejected.
- 7) ☐ Claim(s) \_\_\_\_\_ is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

#### Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on \_\_\_\_\_ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.  
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

#### Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All    b) ☐ Some \*    c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

\* See the attached detailed Office action for a list of the certified copies not received.

#### Attachment(s)

- |  |   |
|--|---|
| 1) <input type="checkbox"/> Notice of References Cited (PTO-892)                     | 4) <input type="checkbox"/> Interview Summary (PTO-413)           |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | Paper No(s)/Mail Date. _____                                      |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08)          | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| Paper No(s)/Mail Date _____  | 6) <input type="checkbox"/> Other: _____                          |

## **DETAILED ACTION**

### ***Response to Amendment***

1. The Examiner acknowledges Applicant's submission on 5/5/09 including amendments to claims 15, 18, 21-23, 29-31, 44-46, 48, 50-53 and the cancellation of claims 24, 40, 43, 47 and 49. All pending claims have been rejected where the previous rejection has been maintained.

### ***Claim Rejections - 35 USC § 103***

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

2. Claims 15-51 are rejected under 35 U.S.C. 103(a) as being unpatentable over U. S. Patent No. 7, 275, 215 B2 (Werndorfer et al.), herein referred to as Werndorfer and U. S. Patent No. 7, 185, 059 B2 (Daniell et al.), herein referred to as Daniell.

Referring to claim 15, Werndorfer discloses a computer-implemented method for enabling electronic communications by a user having multiple accounts hosted by a single communications service provider (column 3, lines 39-37). The service provider that represents each of the multiple accounts of the user hosted by the communications service provider with a corresponding screen name (Figure 3). Werndorfer discloses displaying a single graphical user interface configured to accommodate multiple lists of screen names for each of several accounts of the user with the communications service, each list including other identities with whom the user communicates using the

Art Unit: 2173

account to which the list corresponds (column 3, lines 39-37). Werndorfer discloses that each of the other screen names represents another account that is hosted by the single communications service provider and corresponding to another user (Figure 3). The list is a contiguous list of screen names that represents other accounts that are hosted by the single communications service provider and corresponding to the other users (Figure 3). This list is configurable to be arranged into one or more sub-lists of screen names, each sub-list including one or more screen names from the set of screen names (Figure 3), the sub-lists are the online contacts and the offline contacts. There is a buddy list for each account in a unified graphical user interface. A buddy list includes a list of other identities with whom the user communicates. Werndorfer discloses using the graphical user interface to enable selection, by the user from among the multiple accounts of the user, by the single communications service provider of a particular source account from which to initiate an electronic communication (Figures 7 and 8), where the user selects one identity from any of the accounts and initiates communication. Werndorfer discloses using the graphical user interface to enable selection, by the user from a list of screen names corresponding to the particular source account selected by the user and included in the graphical user interface, of a particular screen name to whom to send the electronic communication (Figures 7 and 8). Werndorfer discloses sending the electronic communication to the particular screen name such that the electronic communication is identified and sent to the particular screen name having been sent from the particular source account selected by the user (Figures 8 and 9). Figure 8 displays a chat session to the identity from the source

Art Unit: 2173

account. The chat display conveys the source account with which the user is sending communication with. Werndorfer does not disclose multiple lists of identities with whom the user communicates electronically, wherein each individual list corresponds to a different account of the user and is separated from the other list of identities. Daniell discloses multiple lists of identities with whom the user communicates electronically, wherein each individual list corresponds to a particular one of the accounts of the user and is separated from the other list of screen names (Figure 14). The user is hosted by the single communications service provider (Figure 14). Daniell discloses that an individual screen name representing an individual account hosted by the single communications service provider and corresponding to an individual user with whom the user communicates is listed in at least two of the multiple lists of other screen names (column 16, lines 50-55). It would have been obvious to one skilled in the art at the time of the invention to learn from Daniell multiple lists of identities with whom the user communicates electronically, wherein each individual list corresponds to a particular one of the accounts of the user and is separated from the other list of identities. The messaging systems of Werndorfer and Daniell both contain access to multiple accounts through one user interface window. The window in Daniell distinguishes the identities based on the accounts to which each identity belongs, thereby associating an identity on the list with an account. This provides motivation for Werndorfer to learn from Daniell. Therefore one skilled in the art at the time of the invention would have been motivated to learn from Daniell multiple lists of identities with whom the user

communicates electronically, wherein each individual list corresponds to a particular one of the accounts of the user and is separated from the other list of identities.

Referring to claim 16, Werndorfer discloses that the multiple accounts of the user are linked using linking logic based on a remote server (Figures 5 and 14).

Referring to claim 17, Werndorfer discloses comprising offering the user a list of potential accounts to which a link from the multiple accounts may be created, wherein the list of potential accounts is created based on relationships between the potential identities accounts and the multiple accounts known to exist within the remote server (Figure 5), where the list of potential accounts and the status of the accounts are conveyed.

Referring to claim 18, Werndorfer discloses receiving a response to the electronic communication from the particular screen name and addressed to the particular source account (Figure 8).

Referring to claim 19, Werndorfer discloses logging on to the single communications service using a first account of the user that differs from the particular source account and in response to logging on to the single communications service using the first account of the user, automatically being logged on to the single communications service for the particular source account (column 4, lines 20-22).

Referring to claim 20, Werndorfer discloses displaying indications of the several accounts of the user in the single graphical user interface (Figure 9).

Referring to claim 21, Werndorfer discloses comprising displaying the lists of other screen names associated with each of the multiple accounts of the user in the single graphical user interface (Figure 9).

Referring to claim 22, Werndorfer discloses responsive to an addition of a new screen name to the list for one of the multiple accounts of the user, adding the new screen name to the lists for the other of the multiple accounts of the user (column 3, lines 39-47).

Referring to claim 23, Werndorfer discloses a graphical user interface for facilitating communications by a user having multiple accounts hosted by a single instant messaging service, the graphical user interface comprising one or more window interfaces that are structured and arranged (column 3, lines 39-47). Werndorfer discloses that the service provider represents each of the multiple accounts of the user hosted by the instant messaging service provider that represents each of the multiple accounts of the user hosted by the instant messaging service provider with a corresponding screen name (Figure 3). Werndorfer discloses a display portion configured to make perceivable two or more instant messaging contact lists wherein each instant messaging contacts list includes one or more constituent instant messaging identities and each instant messaging contacts list is associated with one of the multiple accounts of the user (column 3, lines 39-47 and Figure 9). This list includes a contiguous listing of other screen names, each of the other screen names representing another account that is hosted by the single instant messaging service provider (Figure 3). Werndorfer discloses one or more visual indicators that are

Art Unit: 2173

configured to display the current logon status of the other screen names included in the instant messaging contacts lists associated with the multiple accounts of the user (Figure 9), where the online and offline status are indicated. Werndorfer discloses wherein at least a first screen name from a first instant messaging contacts list associated with a first account of the user hosted by the single instant messaging service provider and represented by a first screen name is selectable as an intended recipient of an instant message from the user (Figure 9). Werndorfer discloses that at least a second screen name from a second instant messaging contacts list associated with a second account of the user hosted by the single instant messaging service provider and represented by a second screen name also is selectable as an intended recipient of an instant message from the user (Figure 9). Werndorfer does not disclose that each instant messaging contacts list is associated with the multiple accounts of the user, is separated from the other instant messaging contacts lists. Daniell discloses that each instant messaging contacts list is associated with the multiple accounts of the user and is separated from the other instant messaging contacts lists (Figure 14). Daniell discloses a third screen name representing an individual account hosted by the single communications service provider and corresponding to an individual user with whom the user communicates is listed in both the first instant messaging contact list and the second instant messaging contacts list (column 16, lines 50-55). It would have been obvious to one skilled in the art at the time of the invention to learn from Daniell that each instant messaging contacts list is associated with the multiple accounts of the user, is separated from the other instant messaging contacts lists. The messaging



Art Unit: 2173

systems of Werndorfer and Daniell both contain access to multiple accounts through one user interface window. The window in Daniell distinguishes the identities based on the accounts to which each identity belongs, thereby associating an identity on the list with an account. This provides motivation for Werndorfer to learn from Daniell.

Therefore one skilled in the art at the time of the invention would have been motivated to learn from Daniell multiple lists of identities with whom the user communicates electronically, wherein each individual list corresponds to a particular one of the accounts of the user and is separated from the other list of identities.

Referring to claim 24, Werndorfer discloses that the window interfaces are structured and arranged to enable a display of an instant message addressed to one of the multiple identities of the user (Figure 8).

Referring to claim 25, Werndorfer discloses that the window interfaces are structured and arranged to enable sign on of additional of the multiple accounts of the user in response to a sign on of one of the multiple accounts of the user (column 4, lines 20-21).

Referring to claim 26, Werndorfer discloses that the window interfaces are structured and arranged to enable sign on of additional of the multiple accounts of the user in response to a sign on of any one of the multiple accounts o f the user (column 4, lines 20-21).

Referring to claim 27, Werndorfer discloses that the window interfaces are structured and arranged to enable the user to designate preferences for each of the multiple accounts of the user (Figure 4).

Referring to claim 28, Werndorfer discloses that the window interfaces are structured and arranged to enable the user to designate preferences for one of the multiple accounts of the user, wherein the preferences are applied globally to the other accounts of the user (Figure 5).

Referring to claim 29, Werndorfer and Daniell disclose displaying a single graphical user interface configured to accommodate multiple lists of screen names with whom the user communicates electronically comprises displaying a single graphical user interface that is configured (Daniell, Figure 14). Werndorfer discloses enabling the user to select a particular list corresponding to a particular one of the multiple accounts of the user (Figure 7), where the user selects an identity from a particular list. Werndorfer discloses in response to a selection by the user of the particular list corresponding to the particular account, display the particular list for that corresponds to the particular account selected by the user (Figure 7).

Referring to claim 30, Werndorfer and Daniell discloses displaying a single graphical user interface configured to accommodate multiple lists of screen names corresponding to users with whom the user communicates electronically comprises concurrently displaying lists corresponding to each of at least two accounts of the user (Daniell, Figure 14).

Referring to claim 31, Werndorfer discloses a computer-implemented method for linking multiple accounts of a user hosted by a single communications service provider (column 3, lines 39-47). The service provider that represents each of the accounts of the user with a unique screen name (Figure 3). Werndorfer discloses maintaining, for a

Art Unit: 2173

user who has multiple accounts that are hosted by the single communications service provider for user in communicating electronically with other users (column 3, lines 39-47), where the single application provides access to multiple communication accounts. Werndorfer discloses a first contacts list corresponding to a first account of the user, the first contacts list including screen names that each represent another account hosted by the single communications service provider and correspond to another user and the first contacts list and enabling the user to communicate electronically with the other users corresponding to the screen names included within the first contacts list. Werndorfer discloses maintaining, for the user, a second contacts list corresponding to a second account of the user, the second contacts list being separate from the first contacts list, including additional screen names that each represent an additional account hosted by the single communications service provider and correspond to an additional user, and the second contacts list enabling the user to communicate electronically with the additional users corresponding to the additional screen names included within the second contacts list. See column 3, lines 39-47. Each account has a separate buddy list which includes identities that the user can communicate with. Werndorfer discloses authenticating the first account of list using the first identity of the user. Werndorfer discloses authenticating the second account of the user. See column 4, lines 20-21. The sign on process authenticates the lists of the separate accounts. Werndorfer discloses creating an association between the first account of the user and the second account of the user, wherein the association between the first account of the user and the second account of the user triggers display of a single graphical user interface for

Art Unit: 2173

both the first account of the user and the second account of the user in response to authentication of both the first account of the user and the second account of the user.

See column 3, lines 39-47 and Figure 9. In response to signing on, a display of the lists of each account is displayed to the user. Werndorfer discloses that the single graphical user interface being configured to display the first contacts list corresponding to the first account of the user and the second contacts list corresponding to the second account of the user such that graphical user interface enables the user to interact with the first contacts list to communicate with the other users using the first account of the user.

This list has the first contacts list that is contiguously listed of the screen names representing the other accounts hosted by the single communication service provider and corresponding to the other users and the second contacts list of contiguous listing of the screen names representing the additional accounts hosted by the single communication service provider and corresponding to the additional users. Werndorfer also discloses interacting with the second contacts list to communicate with the additional users using the second account of the user. See Figures 8 and 9. The identities of each list can be contacted. Werndorfer does not disclose separately displaying the first and second contact lists, with the first list corresponding to a first account and the second list corresponding to a second account. Daniell discloses separately displaying the first and second contact lists, with the first list corresponding to a first account and the second list corresponding to a second account (Figure 14).

Daniell discloses that a particular screen name representing a particular account hosted by the single communications service provider and corresponding a particular user is

Art Unit: 2173

listed in both the first contacts list corresponding to the first account of the user and the second contacts list corresponding to the second account of the user (column 16, lines 50-55). It would have been obvious to one skilled in the art at the time of the invention to learn from Daniell separately displaying the first and second contact lists, with the first list corresponding to a first account and the second list corresponding to a second account. The messaging systems of Werndorfer and Daniell both contain access to multiple accounts through one user interface window. The window in Daniell distinguishes the identities based on the accounts to which each identity belongs, thereby associating an identity on the list with an account. This provides motivation for Werndorfer to learn from Daniell. Therefore one skilled in the art at the time of the invention would have been motivated to learn from Daniell separately displaying the first and second contact lists, with the first list corresponding to a first account and the second list corresponding to a second account.

Referring to claim 32, Werndorfer discloses authenticating the first account includes using a first password to authenticate the first account and authenticating the second account includes using a second password to authenticate the second account (column 4, lines 20-21).

Referring to claim 33, Werndorfer discloses that the first password and the second password are the same (column 4, lines 34-38).

Referring to claim 34, Werndorfer discloses that the first password and the second password are different (column 4, lines 20-21).

Referring to claim 35, Werndorfer discloses authenticating the first account includes using a SecureID to authenticate the first account and authenticating the second account includes using a SecureID to authenticate the second account (column 4, lines 20-37).

Referring to claim 36, Werndorfer discloses creating the association between the first account and the second account includes using a one-way link configuration to create the association between the first account and the second account (column 3, lines 59-62).

Referring to claim 37, Werndorfer discloses creating the association between the first identity account and the second account includes using a bi-directional link configuration to create the association between the first account and the second account (column 3, lines 59-62).

Referring to claim 38, Werndorfer discloses creating the association between the first account and the second account includes using a star-link configuration to create the association between the first account and the second account (column 3, lines 59-62).

Referring to claim 39, Werndorfer discloses creating the association between the first identity account and the second account includes using a mesh-link configuration to create the association between the first account and the second account (column 3, lines 59-62).

Referring to claim 40, Werndorfer discloses that the first account is a part of a first domain and the second account is a part of a second domain that differs from the first domain (column 4, lines 28-30).

Referring to claim 41, Werndorfer discloses setting preferences for the first account wherein setting the preferences for the first account also sets the preferences for the second account (column 4, lines 38-40).

Referring to claim 42, Werndorfer discloses setting first preferences for the first account and setting second preferences for the second account (column 4, lines 21-25).

Referring to claim 43, Werndorfer discloses that the first contacts list and the second contacts list include one or more common identities included in both the first participant contacts list and the second participant contacts list (Figure 7).

Referring to claim 44, Werndorfer discloses that single communications service enables linking multiple accounts hosted by the single communications service so as to enable presence of one account to be reflected based on a login of another account of the multiple accounts (column 4, lines 34-38).

Referring to claim 45, Werndorfer discloses a computer-implemented method for enabling instant messaging by a user who has at least two different instant messaging accounts hosted by a single instant messaging service provider that represents the two different instant messaging accounts with corresponding screen names (column 3, lines 59-62). Werndorfer discloses displaying, to a user who has both a first instant messaging account and a second instant messaging account that are hosted by a single instant messaging service provider, a single instant messaging graphical user

Art Unit: 2173

interface (Figure 7). Werndorfer discloses a first instant messaging participant contacts list that corresponds to the first instant messaging account of the user and that includes a contiguous listing of instant messaging screen names that the user has selected for inclusion in the first instant messaging contacts list, each of the screen names included in the first contiguous listing representing an instant messaging account also hosted by the single instant messaging service provider. Werndorfer discloses a second instant messaging participant contacts list that is separate from the first instant messaging participant list that corresponds to the second instant messaging account of the user. See column 3, lines 39-47. Each account has a separate buddy list which includes identities that the user can communicate with. Werndorfer discloses that it includes a second contiguous listing of instant messaging screen names that the user has selected for inclusion in the second instant messaging participant contacts list (Figure 7).

Werndorfer discloses receiving an indication of a selection by the user from within the instant messaging graphical user interface of a first instant messaging contact from the first instant messaging contacts list. Werndorfer discloses that in response to receiving the indication of the selection of the particular instant messaging screen name from the particular instant messaging contacts list, enabling the user to compose a first instant message to the first instant messaging contact. Figures 8 and 9. Werndorfer discloses that based on the selection of the first instant messaging contact from the first instant messaging participant contacts list that corresponds to the first instant messaging account of the user, sending the first instant message composed by the user to the first instant messaging contact in a manner that identifies the first instant message as having



Art Unit: 2173

been sent from the first instant messaging account (Figure 8). Werndorfer discloses receiving an indication of a selection by the user from within the instant messaging graphical user interface of a second instant messaging contact from the second instant messaging contacts list (Figure 9), where the identity from the Yahoo account can be selected. Werndorfer discloses that in response to receiving the indication of the selection of the second instant messaging contact from the second instant messaging participant contacts list, enabling the user to compose a second instant message to the second instant messaging contact. Werndorfer discloses that based on the selection of the second instant messaging contact from the second instant messaging contacts list that corresponds to the second instant messaging account of the user, sending the second instant message composed by the user to the second instant messaging contact in a manner that identifies the second instant message as having been sent from the second instant messaging account. See column 3, lines 39-47. Each account has its own IM functions where the identity can be selected from one of the accounts and a message sent to this account. Werndorfer does not disclose separately displaying the first and second contact lists, with the first list corresponding to a first account and the second list corresponding to a second account. Daniell discloses separately displaying the first and second contact lists, with the first list corresponding to a first account and the second list corresponding to a second account (Figure 14). Daniell discloses that each of the screen names included in the second contiguous listing representing an instant messaging account also hosted by the single instant messaging service provider, wherein a particular instant messaging screen name

Art Unit: 2173

representing a particular instant messaging account hosted by the single instant messaging service provider is listed in both the first instant messaging contacts list and the second instant messaging contacts list (column 16, lines 50-55). It would have been obvious to one skilled in the art at the time of the invention to learn from Daniell separately displaying the first and second contact lists, with the first list corresponding to a first account and the second list corresponding to a second account. The messaging systems of Werndorfer and Daniell both contain access to multiple accounts through one user interface window. The window in Daniell distinguishes the identities based on the accounts to which each identity belongs, thereby associating an identity on the list with an account. This provides motivation for Werndorfer to learn from Daniell.

Therefore one skilled in the art at the time of the invention would have been motivated to learn from Daniell separately displaying the first and second contact lists, with the first list corresponding to a first account and the second list corresponding to a second account.

Referring to claim 46, Werndorfer discloses collapsing the first instant messaging participant contacts list within the instant messaging graphical user interface such that the contiguous listing of the instant messaging screen names that the user selected for inclusion in the first instant messaging participant contacts list is not visible within the instant messaging graphical user interface after collapsing the first instant messaging contacts list (Figure 7), selecting the “-“ next to “Online Contacts” collapses the list.

Referring to claim 47, Werndorfer discloses enabling the user to add a new instant messaging contact to the first instant messaging contacts list that corresponds to

Art Unit: 2173

the first instant messaging account of the user (column 3, lines 39-47), where the user preferences include those that are implemented in IM services including adding new contacts. Werndorfer discloses enabling the user to add the same new contact to the second instant messaging contacts list that corresponds to the second instant messaging account of the user (column 3, lines 39-47). Werndorfer discloses enabling the user to select, from within the instant messaging graphical user interface, the new instant messaging contact from the first instant messaging contacts list that corresponds to the first instant messaging account of the user. Werndorfer discloses that based on a selection of the new instant messaging contact from the first instant messaging contacts list that corresponds to the first instant messaging account of the user. Werndorfer discloses enabling the user to send a new instant message to the new instant messaging contact in a manner that identifies the new instant message as having been sent from the first instant messaging account. Figures 7 and 8. Werndorfer discloses enabling the user to select, from within the instant messaging graphical user interface, the new instant messaging contact from the second instant messaging contacts list that corresponds to the second instant messaging account of the user (Figure 9).

Werndorfer discloses that based on a selection of the new instant messaging contact from the second instant messaging participant contacts list that corresponds to the second instant messaging account of the user, enabling the user to send another new instant message to the new instant messaging contact in a manner that identifies the other new instant message as having been sent from the second instant messaging

Art Unit: 2173

account. Figure 9 displays identities associated with multiple accounts. An identity from the second account is selectable where a message is sent to this identity.

Referring to claim 48, Werndorfer discloses displaying the single instant messaging graphical user interface that includes both the first instant messaging contacts list and the second instant messaging participant contacts list includes concurrently displaying both the contiguous listing of the instant messaging screen names that the user selected for inclusion in the first instant messaging contacts list and contiguous listing of the instant messaging screen names that the user selected for inclusion in the second instant messaging contacts list within the single instant messaging graphical user interface on a single display screen (Figure 9).

Referring to claim 49, Werndorfer discloses that the first instant messaging account of the user and the second instant messaging account of the user are maintained by the same instant messaging provider (column 3, lines 59-62).

Referring to claim 50, Werndorfer discloses that the communications service is an instant messaging service (column 1, lines 9-12). Werndorfer discloses that the multiple accounts of the user are instant messaging accounts with the instant messaging service (column 3, lines 59-62). Werndorfer and Daniell discloses displaying a single graphical user interface configured to accommodate multiple lists of screen names corresponding to users with whom the user communicates electronically includes displaying a single graphical user interface configured to accommodate multiple list of identities with whom the user communicates via instant messaging

Art Unit: 2173

(Daniell, figure 14). Werndorfer discloses using the graphical user interface to enable selection, by the user from among the multiple accounts of the user, of a particular source account from which to initiate an electronic communication includes using the graphical user interface to enable selection, by the user from among the several instant messaging accounts of the user, of a particular source instant messaging account from which to initiate an instant message (Figure 9), where the user selects a specific identity in a specific account. Werndorfer discloses using the graphical user interface to enable selection, from a list of screen names corresponding to users corresponding to the particular source account selected by the user, of a particular identity to whom to send the electronic communication includes using the graphical user interface to enable selection, from a list of screen names corresponding to the particular source instant messaging account selected by the user, of a particular screen name to whom to send the instant message (Figure 9). Werndorfer discloses sending the electronic communication to the particular screen name such that the electronic communication is identified to the particular screen name as being sent from the particular source account selected by the user includes sending the instant message to the particular screen name such that the instant message is identified to the particular screen name as being sent from the particular source instant messaging account selected by the user (Figure 8).

Referring to claim 51, Werndorfer discloses that the communications service is an instant messaging service (column 1, lines 9-12). Werndorfer discloses that the first account of the user is a first instant messaging account of the user hosted by the instant

Art Unit: 2173

messaging service. Werndorfer discloses that the second account of the user is a second instant messaging account of the user hosted by the instant messaging service. See column 3, lines 59-62. Werndorfer discloses maintaining, for the user a first contacts list corresponding to the first account of the user, includes maintaining, for the user, a first instant messaging contacts list corresponding to the first instant messaging account of the user, the first instant messaging contacts list including one or more instant messaging screen names corresponding to other users and enabling the user to communicate via instant messaging with the other users. Werndorfer discloses maintaining, for the user, a second contacts list corresponding to the second account of the user, includes maintaining, for the user, a second instant messaging contacts list corresponding to the second instant messaging account of the user, the second instant messaging contacts list being separate from the first instant messaging contacts list, including one or more additional instant messaging identities associated with one or more additional users, and enabling the user to communicate via instant messaging with the additional users associated with the additional instant messaging identities included within the second instant messaging contacts list. See column 3, lines 39-45. There is a buddy list that is associated with each account. Each separate buddy list contains screen names that the user communicates with. Werndorfer discloses authenticating the first account of the user includes authenticating the first instant messaging account of the user. Werndorfer discloses authenticating the second account of the user includes authenticating the first instant messaging account of the user. See column 4, lines 20-22. Werndorfer discloses creating an association

Art Unit: 2173

between the first account of the user and the second account of the user includes creating an association between the first instant messaging account of the user and the second instant messaging account of the user (column 3, lines 59-62). Werndorfer discloses that the association between the first instant messaging account of the user and the second instant messaging account of the user triggers display of a single graphical user interface for both the first instant messaging account of the user and the second instant messaging account of the user in response to authentication of both the first instant messaging account of the user and the second instant messaging account of the user (Figure 7). In response to logging on and authenticating the accounts a graphical user interface displays multiple lists associated with separate IM accounts. Werndorfer discloses that the single graphical user interface being configured to accommodate the first instant messaging contacts list corresponding to the first instant messaging account of the user and the second instant messaging contacts list corresponding to the second instant messaging account of the user such that the single graphical user interface enables the user to interact with the first instant messaging contacts list to communicate with the other users via instant messaging using the first instant messaging account of the user and to interact with the second instant messaging contacts list to communicate with the additional users via instant messaging using the second instant messaging account of the user (Figures 7-9). Werndorfer does not disclose separately displaying the first and second contact lists, with the first list corresponding to a first account and the second list corresponding to a second account. Daniell discloses separately displaying the first and second contact lists, with the first list

Art Unit: 2173

corresponding to a first account and the second list corresponding to a second account (Figure 14). It would have been obvious to one skilled in the art at the time of the invention to learn from Daniell separately displaying the first and second contact lists, with the first list corresponding to a first account and the second list corresponding to a second account. The messaging systems of Werndorfer and Daniell both contain access to multiple accounts through one user interface window. The window in Daniell distinguishes the identities based on the accounts to which each identity belongs, thereby associating an identity on the list with an account. This provides motivation for Werndorfer to learn from Daniell. Therefore one skilled in the art at the time of the invention would have been motivated to learn from Daniell separately displaying the first and second contact lists, with the first list corresponding to a first account and the second list corresponding to a second account.

Referring to claim 52, Werndorfer discloses a computer-implemented method comprising displaying a single graphical user interface that includes a first group label that corresponds to a first electronic messaging account of a user and a second group label that corresponds to a second electronic messaging account of the user (reference number 310, Figure 3). Both accounts are hosted by a particular electronic messaging service provider. Werndorfer discloses a first contiguous listing of multiple messaging screen names, each of the screen names included in the first contiguous listing representing another electronic messaging account also hosted by the particular electronic messaging service provider and corresponding to another user with whom the user communicates using the first electronic messaging account of the user (reference



Art Unit: 2173

number 301, Figure 3). Werndorfer discloses configured to reflect on-line presence information for at least some of the messaging screen names corresponding to users with whom the user communicates using the first electronic messaging account of the user (Figure 5). Werndorfer discloses a second contiguous listing of multiple messaging screen names, each of the screen names included in the second contiguous listing representing another electronic messaging account also hosted by the particular electronic messaging service provider and corresponding to another user with whom the user communicates using the second electronic messaging account of the user (Figure 6). Werndorfer discloses configured to reflect on-line presence information for at least some of the messaging screen names corresponding to users with whom the user communicates using the second electronic messaging account of the user (Figure 5). Werndorfer discloses receiving an indication of a selection by the user of a first messaging contact from the first contiguous listing of messaging contacts with whom the user communicates using the first electronic messaging account of the user (Figure 7). Werndorfer discloses in response to receiving the indication of the selection by the user of the first messaging contact, enabling the user to compose and send to the first messaging contact an electronic message that is identified as originating from the first electronic messaging account of the user (Figure 8). Werndorfer discloses receiving an indication of a selection by the user of a second messaging contact from the second contiguous listing of messaging screen names, each of the screen names included in the second contiguous listing representing another electronic messaging account also hosted by the particular electronic messaging service provider and corresponding to

Art Unit: 2173

another user with whom the user communicates using the second electronic messaging account of the user (Figure 9). Werndorfer discloses in response to receiving the indication of the selection by the user of the second messaging contact, enabling the user to compose and send to the second messaging contact an electronic message that is identified as originating from the second electronic messaging account of the user (Figure 9 and column 6, lines 10-21). Werndorfer does not disclose that the first contiguous listing and second contiguous listing are not oriented in a position corresponding to the first and second group labels. Daniell discloses the first contiguous listing being oriented in a position corresponding to the first group label (Figure 14). Daniell discloses the second contiguous listing being separated from the first contiguous listing of messaging contacts with whom the user communicates using the first electronic messaging account of the user, oriented in a position corresponding to the second group label (Figure 14). Daniell discloses that the first group label is selectable to inspire visual display or obfuscation of the first contiguous listing of messaging contacts with whom the user communicates using the first electronic messaging account of the user (Figure 14). Daniell discloses that the second group label is selectable to inspire visual display or obfuscation of the second contiguous listing of messaging contacts with whom the user communicates using the second electronic messaging account of the user (Figure 14). The down arrows next to the group labels allow for the user to select to display or obfuscation of the respective account list. Daniell discloses a particular messaging screen name representing a particular electronic messaging account hosted by the particular electronic messaging

Art Unit: 2173

service provider and corresponding to a particular user is listed in both the first contiguous listing of multiple messaging screen names and the second contiguous listing of multiple messaging screen names (column 16, lines 50-55). It would have been obvious to one skilled in the art at the time of the invention to learn from Daniell that the first contiguous listing and second contiguous listing are not oriented in a position corresponding to the first and second group labels. The messaging systems of Werndorfer and Daniell both contain access to multiple accounts through one user interface window. The window in Daniell distinguishes the identities based on the accounts to which each identity belongs, thereby associating an identity on the list with an account. This provides motivation for Werndorfer to learn from Daniell. Therefore one skilled in the art at the time of the invention would have been motivated to learn from Daniell that the first contiguous listing and second contiguous listing are not oriented in a position corresponding to the first and second group labels.

Referring to claim 53, Werndorfer and Daniell discloses displaying a single graphical user interface that includes a first contiguous listing of messaging screen names corresponding to users with whom the user communicates using the first electronic messaging account of the user and a second contiguous listing of multiple messaging screen names corresponding to users with whom the user communicates using the second electronic messaging account of the user includes displaying a single graphical user interface that includes a first contiguous listing of messaging screen names that is arranged into multiple contiguous sub-listings of messaging screen names corresponding to users with whom the user communicates using the first

Art Unit: 2173

electronic messaging account of the user, each of which is associated with a different identifiable label and a second contiguous listing of messaging screen names that is arranged into multiple contiguous sub-listings of messaging screen names corresponding to users with whom the user communicates using the second electronic messaging account of the user, each of which is associated with a different identifiable label (Daniell, Figure 14).

### ***Response to Arguments***

3. Applicant's arguments filed 5/5/09 have been fully considered but they are not persuasive.

Daniell discloses how one contact person can be associated with multiple screen names. As shown in the window of Figure 12, one contact person has multiple screen names based on various accounts for instant messaging. Therefore, a listing of these multiple screen names in the contiguous lists involves two screen names that are associated with the same person being listed in a first and second contiguous list.

Werndorfer further provides one service provider "Trillian Pro" for providing access to multiple accounts of instant messaging services as shown in Figure 3.

Daniell also discloses a single messaging service provider as the "BellSouth Messenger" which provides access to multiple accounts of instant messaging service providers. Daniell also displays multiple lists including "AOL Contacts" and "MSN Contacts" that represent two separate different contiguous lists.

### ***Conclusion***

4. **THIS ACTION IS MADE FINAL.** Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire **THREE MONTHS** from the mailing date of this action. In the event a first reply is filed within **TWO MONTHS** of the mailing date of this final action and the advisory action is not mailed until after the end of the **THREE-MONTH** shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than **SIX MONTHS** from the mailing date of this final action.

Responses to this action should be submitted as per the options cited below: The United States Patent and Trademark Office requires most patent related correspondence to be: a) faxed to the Central Fax number (571-273-8300) b) hand carried or delivered to the Customer Service Window (located at the Randolph Building, 401 Dulany Street, Alexandria, VA 22314), c) mailed to the mailing address set forth in 37 CFR 1.1 (e.g., P.O. Box 1450, Alexandria, VA 22313-1450), or d) transmitted to the Office using the Office's Electronic Filing System.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Namitha Pillai whose telephone number is (571) 272-4054. The examiner can normally be reached from 8:30 AM - 5:30 PM.

If attempts to reach the examiner by telephone are unsuccessful, Kieu Vu can be reached on (571) 272-4057.

Art Unit: 2173

All Internet e-mail communications will be made of record in the application file. PTO employees do not engage in Internet communications where there exists a possibility that sensitive information could be identified or exchanged unless the record includes a properly signed express waiver of the confidentiality requirements of 35 U.S.C. 122. This is more clearly set forth in the Interim Internet Usage Policy published in the Official Gazette of the Patent and Trademark on February 25, 1997 at 1195 OG 89.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the Group receptionist whose telephone number is (571) 272-2100.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Namitha Pillai  
Patent Examiner  
Art Unit 2173  
August 3, 2009

/Namitha Pillai/  
Primary Examiner, Art Unit 2173